

PCW

KABEL

POWER CABLES & WIRES TRADING

(1555088-P)

22, Jalan Gandek, Off Jalan San Peng, 55200 Kuala Lumpur.


Tel: 603-92236818 (Hunting Line) 603-92239818 Fax: 92237818

E-mail: enquiry@cables.com.my Website: www.cables.com.my

SIRIM APPROVED QUALITY

Tel : 603-92236818 (Hunting Line) Fax : 603-92237818

Fire Resistant Cables




Aluminium Low Voltage Cables



Aerial Bundle Cables




Copper Low Voltage Cables



The **legrand** Lexic Modular Approach The Result of **EXPERTISE**

Legrand Lexic, one of the fully imported Europe product. Providing safety, simplicity and freedom of installation is the key to Legrand's assurance of high Performance.

Legrand Lexic also comply to IEC60898 for MCB IEC61008-1 for RCCB.



legrand®

www.legrand.com

Distributed in Malaysia by:

EIP MARKETING SDN. BHD. (701546-W)

34 (Ground Floor), Jalan USJ1/1C, Regalia Business Centre, 47620 Subang Jaya, Selangor Darul Ehsan, Malaysia.

Tel: +603-8023 9018 / 9017 Fax: +603-8023 9016 E-mail: eipmkt@tm.net.my

Agent / Authorised Distributor for :-

ABB



Full Range of Low Voltage Products:-

EMAX Air Circuit Breaker
Tmax T.Generation MCCB
 System **PROM Compact** MCB & RCCB
 SoftStarters & Inverter Drives **ACS Series**
 Magnetic Contactors
 Earth Fault & Overcurrent Relay **SPAJ 140C**
 Switch-Disconnecter **OT & OETL**
 OVR Surges Protection
 MS Manual Motor Starter
Others

SAMWHA



Low Voltage Power Capacitor



* Range from 2.5 Kvar to 30 Kvar 440V Dry Type



Mechanical Relay & Din Rail Timer



Mikro

Protective Relay & Power Factor Regulator



CHNT

Low Voltage Products

Air Circuit Breaker
 Moulded-Case Circuit Breaker
 MCB
 RCB
 Contractors
 &
 Surges Protection



FUSELINE ELECTRIC & ENGINEERING SDN BHD (424303-K)

No.12A, Jalan Pemberita U1/49, Temasya Industrial Park Glenmarie, 40150 Shah Alam, Selangor D.E
 Tel: 603 - 5569 5766 Fax: 603 - 5569 0058 Email: fuseline@streamyx.com

YOUR ONE STOP SOLUTION FOR FIRE ALARM CONTROL PANEL AND DEVICES



NOTIFIER Addressable and Intelligent Fire Alarm
Panel & Devices



INDUSTRONICS Fire Alarm Control Panel &
Fireman Intercom



SYSTEM SENSOR Fire Alarm Devices



HOME SAFEGUARD Smoke and Heat Detector
Testing Equipment

PRODUCT RANGE:

- Notifier Addressable Intelligent Fire Alarm Panel and Devices
- Industronics Conventional Fire Alarm Panel
- Industronics Micro-processor Based Fire Alarm Panel
- Industronics Addressable Intelligent Fire Alarm Panel
- Industronics Micro-processor Based Fireman Intercom System
- System Sensor – Detection Sensor, Audible/Visible, HVAC and Sprinkler Systems Monitoring Products, Exit Point (Directional Sounders with Voice Messaging) and Carbon Monoxide Detector
- Home Safeguard Smoke Tester and Versa-Tools Test Kit
- Adtronics Battery Operated Smoke Alarm Detector

Our products are complied with respective international and local standard such as EN54-2, MS1745-2, UL/FM, CE and local CIFS requirement.



ADEMCO (MALAYSIA) SDN BHD
No. 60, Jalan Manis Tiga, Taman Segar,
Cheras, 56100 Kuala Lumpur. Malaysia.
Tel: 03-9133 1313
Fax: 03-9131 7909
Email: ademco@streamyx.com




Your Electrical Instruments Partners



Synergy Instrumentation Sdn. Bhd. offers a comprehensive package of excellent consultancy, support service and state of the art electrical components to cater for all your electrical needs.

- Electrical Measuring Instruments
- Electrical Network Analyzers
- Process Controllers and Displays
- Portable Measuring Instruments and Testers
- Power Supply and AC/DC Converters
- Alarm Annunciators
- Other Switchgear Component

Our highly skilled professional staff have years of extensive experience in the field and are ready to provide speedy response to any query and requirements set by our clients.



We have establish a strategic relationship with various world renowned brands such as :

- | | | | |
|---|--|---|--|
|  | - D-Master Multifunctional Power Meter, Power Transducer, Analogue/Digital Panel Meters, Signal Isolators/Transmitters |  | - Lon-Works Protocol Power Meters |
|  | - Power Quality Analysers, Utility Grade Power Meters |  | - Digital / Bargraph Panel Meters |
|  | - Marine Panel Meters, Power Transducer, Multifunctional Power Meters, Mechanical & Static Energy Meters |  | - Temperature & Motor Load Controller/Relays |
|  | - Electrical Multifunctional Analysers |  | - Alarm Annunciators |
|  | - Metasys N2 Protocol
- Three-Phase Network Analysers |  | - Fault Indicators/Flat Relays |
| | |  | - LED Semaphore Indicators |

Garlic

This article is extracted with courtesy of "Health Discovery" magazine published by Life Publishers Berhad.

As far back as 3,000 years ago, records were found inside Pharaoh's pyramids in Egypt, stating that the labourers took garlic to maintain their physical strength while working in the hot sun. In the second century, the Roman military doctors used garlic to treat soldiers suffering from gastro-intestinal disorders, respiratory problems and parasitosis. The famous Greek physician Hippocrates regarded garlic as a diaphoretic (perspiration inducing) and diuretic agent.

Curative effects of garlic

In the Middle Ages when Europe was frequently plagued by epidemic diseases, most of those who took garlic daily were less affected.

In 1722, the Marseilles fever spread across France, but a lot of people managed to escape the catastrophe by taking garlic vinegar. In 1897, a European physician wrote in his book "Medicinal Plants" that garlic was a stimulant, expectorant, as well as anti-convulsion and diuretic agent effective for whopping cough and asthma. In ancient times, British physicians cooked garlic with vinegar and sugar, and kept the concoction in a hemetic china bottle. They found that taking one to two cloves of garlic together with the syrup on an empty stomach daily was effective in treating asthma. Those suffering from rheumatism would cut open a clove of garlic and rub it on the affected area to alleviate pain.

During World War II, due to insufficient supply of drugs, the British government purchased several thousand tons of garlic to treat soldiers' injury. In 1948, a group of physicians in Brazil reported that they succeeded in treating 400 patients suffering from intestinal infection with garlic. Russian scientists extracted garlic oil and named it "Russian penicillin".

In 1929, a German physician reported that he used garlic to treat 80 patients suffering from high blood pressure, and found that the blood pressure level was steadily reduced. In 1948, a visiting lecturer at the medical school of Geneva University published a paper in a European periodical and recounted his experience in treating 100 patients suffering from high blood pressure with garlic. The article pointed out that 40% of the patients had a blood pressure reduction of at least 2 cm.

Another physician also reported that upon treatment with garlic for more than one month, the patients' blood pressure level continued to drop for quite some time. In 1914, an Irish physician noted that garlic was effective at treating tuberculosis. In the same year, an American physician conducted an experiment where 1,082 patients suffering from tuberculosis were divided into 56 groups and treated with different therapies. The group treated with garlic showed the most satisfying result.

Raw garlic eases common cold

In the magazine "The Natural Way", a British physician published an article recounting her fifteen years' successful experience in using garlic to treat children suffering from whopping cough.

Her method is give below:

Garlic is peeled and pounded to a paste. Enough garlic paste is prepared to form a 1/4-inch layer to be spread onto the patients soles. Lard or Vaseline is first applied to the patient's soles to prevent blistering. Garlic paste of 1/4-inch thick is spread evenly on a piece of cloth, covered with another piece of cloth, and then applied to the soles. Socks are worn for best results. This is done before bedtime and removed the next morning.

If the patient's feet are not painful or do not blister, treatment can be carried out for several consecutive nights or at alternate night. The patient's breath will smell of garlic after the treatment. This method is effective not only for whopping cough but also other types of stubborn cough.

A western doctor also reported that when one starts to sneeze and sniffle, two cloves of raw garlic kept inside the mouth for several hours is effective at keeping the symptoms of cold at bay. He noted that the same method is also good for chronic tonsillitis, bronchitis and inflammation of



Raw garlic eases common cold.

the throat. The raw garlic is to be kept in the mouth day and night, and to be changed with fresh ones every few hours.

Garlic is also effective for amoebic diarrhoea. For adults, it is recommended to chew grams of raw garlic three times a day. Enema is also recommended in addition to this. Here is how to prepare garlic juice to be used for enema. Crush 8 grams of garlic and place it in a container. Add 150 ml of cold water and let it stand for an hour. Use a piece of cheesecloth to filter the juice. First use saline solution to do the enema, and then use garlic juice for about 15 minutes. Pain will be felt initially, but will subside after the second and third enema.


Two vital components

It is reported that an effective way to treat viral and other types of infections is to take six cloves of minced garlic added to a salad or spread on bread, and 4 teaspoons of apple cider vinegar mixed with one teaspoon of honey in a glass of warm water.

The wonders of garlic were not fully understood until research and analysis done by German and Swedish scientists in the twentieth century uncovered its active ingredients. It turns out that garlic cells contain two important components, Allin and garlic enzyme. The enzyme is enclosed by protein and fat that form an outer membrane, rendering it inactive. When garlic is cut open or crushed, the inactive enzyme is released from the membrane and activated. The activated enzyme will then break down Allin to produce Allicin, a component with pungent odor that gives garlic its typical smell.

A GOOD ELECTRICAL CONNECTION BEGINS WITH THE CONNECTOR

Malaysian Standard MS 1540:2002



SPECIFICATION FOR THE MATERIAL, MARKING AND DIMENSIONS OF CRIMP TYPE CABLE LUGS FOR USE WITH COPPER CONDUCTORS IN LOW VOLTAGE APPLICATIONS

Importance of using Cable Lug compliant with MS 1540:2002

- To prevent joints and terminations from overheating which will cause **power loss** and even **high risk to fire**
- To prevent inferior, sub-standard and questionable quality cable lugs to be used in the electrical installation
- To have standardized cable lugs to suite the crimping die
- Suitable for cable compliant with IEC 228



'C'Clamp
Model: U-T44 to U-T450



MCCB Bimetal & Cable Lug
For MCCB



Cable Lug & Cable Link
Sizes: 1.5mm² to 1,000mm²



Bimetal Lug & Link
Size: 16mm² to 630mm²
Tested to IEC 1238-1:1998



CK-10
1.5 to 10mm²



CH-630 Hydraulic Indent Tool
Al. Ferrule & Bimetal
300mm² to 630mm²



CP-1000 Hydraulic Crimping Head
Dies: 500mm² to 1,000mm²



CH-240 Hydraulic Indent Tool
Al. Ferrule & Bimetal
16mm² to 240mm²



CK-16
1.5 to 16mm²



BC-150 Bar Cutter
Max. 10mm (thickness)
Max. 150mm (width)




CP-630 Foot/Hand Pump
Max. Pressure:
700Bar/10,000p.s.i



1HP-EP Electric Pump
Max. Pressure:
700Bar/10,000p.s.i



HP-20 Hole Puncher
Dies: 10.5, 13.5,
17.5 & 20.5mm



BB-150 Bar Bender
Max. 150mm (width)



HC-52 Hole Cutter
Dies: 16.8mm – 52mm



CC-630 Cable Cutter
Up to 630mm² Cu/Al
Stranded Cable



CONWAY TERMINALS MANUFACTURER SDN. BHD. (049613 U)

Lot 1298, Bukit Kemuning, Jalan Kampong Jawa, 42450 Klang, Selangor, Malaysia

Tel: + 603-5122 1223/ 1068 Fax: + 603-5121 1109

E-mail: ctm@conway.com.my Website: www.conway.com.my

..... Continue Garlic

Three main characteristics of Allicin

It possesses powerful antibacterial property. One milligram of Allicin equals to 15 units of penicillin. Even though Allicin is diluted 100,000 times, its germicidal property remains.

It promotes the secretion of gastric juice and other beneficial enzymes, improves appetite and enhances digestion. Allicin combines with protein (such as meat) to change the structure of the protein, making it more digestible.

Allicin combines with vitamin B1 to form Allithiamine, which is 10 times more absorbable in our body than vitamin B1. The absorption rate of vitamin B1 in general is below 10 grams despite the amount taken. However, the absorption rate of Allithiamine is more than 100 grams.

The aforementioned three characteristics contribute to the wonderful functions of garlic.

Due to its strong antibacterial property, garlic helps to prevent cold, stop diarrhoea (mix garlic with tea or vinegar), and digest protein, thus highly effective for gastrointestinal disorders.

Alleviates fatigue

However, the most miraculous effect of garlic is derived from Allithiamine. The main function of vitamin B1 is to nourish and strengthen the nerve cells. Apart from this, vitamin B1 also promotes the release of energy from carbohydrates. When your diet is deficient in vitamin B1, energy is not properly released, leading to fatigue, lack of stamina, poor appetite, and sluggish function of the digestive tract causing indigestion. Severe B1 deficiency may lead to palpitation, difficulty in breathing and oedema of the lower limbs.

It is mentioned earlier that the absorption rate of Allithiamine in the body is 10 times that of vitamin B1, thus it is highly effective at strengthening the nervous system of the whole body, which allows garlic to treat neuralgia (pain of the nerves). In order to fully enjoy the benefit of this effect, when taking garlic, it is recommended to also increase protein intake to raise body temperature. Thus the best dish for rheumatism or neuralgia is meat cubes cooked with taufu and lots of onion and raw garlic, making the body



Garlic possesses anti-bacterial properties, thus helping to reduce the chance of stomach upset or food poisoning.

warm. Allithiamine will then spread to the whole body, soothe the nerves and relieve pain.

Since Allithiamine functions to release energy from carbohydrates, taking raw garlic would help the body keep warm.

Performing hard manual work in an extremely hot weather causes the body to use up energy rapidly and make it tired easily. Allithiamine intake helps to boost stamina and sustain the body's strength.

Studies done in England have shown that taking several pieces of garlic a day helps inhibit blood clot. Thus it is inferred that the intake of two to three pieces of garlic every two to three days helps inhibit the formation of blood clot responsible for cerebral and myocardial infection.

Researchers at Tokyo University and Kyoto University in Japan have carried out experiments on mice and confirmed that garlic extract inhibits the proliferation of cancer cells. What is actually the active ingredient in garlic that is responsible for this effect? Various studies have discovered that the anti-cancer effect of garlic stems from the germanium it contains.

Thus far, Germanium has been found to eliminate fatigue, boost stamina, and help prevent cancer or inhibit the proliferation of cancer cells. Besides, garlic also helps control blood cholesterol level.

Keeping garlicky breath at bay

Although garlic offers a myriad of benefits, it is best not to take raw garlic on an empty stomach, and it should be limited to one to two cloves per day. Those with weak stomach are advised to take only one clove

per day. The only socially uncomfortable side effect of taking garlic is its pungent odour.

If the odour is a deterring factor, you may take cooked garlic or sprinkle some garlic powder on soups or dishes. However, the efficacy of cooked garlic or garlic powder is less than that of raw garlic but its basic components Allin and garlic enzyme remain intact. Although Allicin is being slowly released, it can still impart a long-term effect. In order to get rid of the garlic odour, brush your teeth immediately after taking garlic, and then sip some strong tea, hold it inside the mouth and swallow it slowly. Another alternative is to chew some used tea

leaves or keep them in the mouth until the odour is gone. Taking a small amount of vinegar or rinsing your mouth with it will also keep your breath clear of odour.

Folk Remedies

The following is a collection of folk remedies using garlic (for reference only):

Nose bleeding: Apply pounded garlic on the soles of the feet. Apply on the right sole if the left nose bleeds, or on the left foot if the right one bleeds. Alternatively, spread pounded garlic on a piece of cheesecloth and apply on the throat.

Toothache: Cut roasted garlic into pieces and apply on affected area.

Sore throat: Insert garlic into the ears and nose.

Cough: Pound garlic and mix with vinegar, remove the residue, add sugar and take the liquid.

Chronic heartache: Cook concentrated garlic without adding any spices, take as much as possible.

Dysentery: Prepare garlic paste and paste it on both soles and navel.

Choke on fish bone: Insert a clove of garlic with the end removed into the left ear if the right side of the throat is blocked, or into the right ear if the left side is blocked.

High blood pressure: Take garlic for half a year and blood pressure level will be much improved.

Hong Kong foot: Rub ground garlic on the itching toes before bed time. It will heal in three days.

MAXGUARD



 Suruhanjaya Tenaga




SIRIM
SAFETY MARK

Approved for
Government Projects

ITS Intertek Testing Services
ETL SEMKO



WHAT ARE THE ADVANTAGES OF USING **MAXGUARD?**



Others may claim, but only
MAXGUARD
puts it in Black & White

100% Genuine Parts

Proven Track Record

Since 1998 we have sold more than
800,000 RCCB & 10,000,000 poles of MCB

MCB, RCCB, RCBO & Switchfuse with

Sirim Safety Labels

if it's not good, we don't sell it

if it's not perfect, we replace it

if it's not guarantee, it's not MAXGUARD

MCB, RCCB, MCCB are Fully Type-tested by

ETL SEMKO (Sweden)

We're not the best & we're not the cheapest.
But our **QUALITY** products
are the most competitive in the market.

12 ~ 60

Months Warranty

against manufacturers defects
refer to relevant products

MCB, RCCB & Switchfuse with

Suruhanjaya Tenaga Approval

MCB, RCCB, MCCB with

**CB & Products Safety
Certificates**

by ETL SEMKO (Sweden)

MAXGUARD products

**Meet Customer's Requirements
& Fits Their Budgets.**

** Terms and conditions apply

For peace of mind get **MAXGUARD**

Quality Products at Competitive Price

Only we guarantees the above entitlements should you encounter problems with your
MAXGUARD products. Recognised at any of our authorised distributor centres across Malaysia.


Maxguard Switchgear Sdn. Bhd.

(Formerly known as Flexicon Marketing Sdn. Bhd.)

No. 48, 50 & 52, Jalan Tambur 33/19, Sek. 33. 40400 Shah Alam, Selangor. Malaysia.

Tel: (603) 5121 2288 Fax: (603) 5121 2868. Email : flexicon@streamyx.com Website : <http://www.maxguard.com.my>





DIRIS[®] A

THE DEFINITIVE MULTI-FUNCTION METER



DIRIS A20 & A40

MADE TO MEASURE



A universal multi-function solution to optimise the measurement, control and management of your electrical installation...

> **EASY TO INSTALL:** Compact, Plug & Display modules, self test diagnostics function to check & correct wiring connections

> **ACCURATE MEASUREMENT:** Enhanced quality and accuracy of measurements due to integration of a dedicated ASIC component

> **OPTIMISED VISIBILITY:** Large easy-to-read configurable backlit display


> **DIRECT ACCESS:** Large keys enable quick, direct access to all data required without the need to navigate through complicated menus

> **PLUG & DISPLAY:** Additional functions can be added retrospectively through optional add on modules





Contactor

T - Range Contactors : Current Rating: 9A to 95A
4 KW to 45 KW10 Rating Options




Contactor




F - Range Contactors 115A thru 780A
59 KW to 425 KW..... 10 Rating Options



Contactor



Capacitor Duty Contactors : 10KVAR thru 60 KVAR



Overload Relays



TR 2 Relays

- ▣ Standards : IS 13947-4-1-1993
- ▣ Certification : UL, CSA, CE Marking, CPRI
- ▣ Range : Direct operated 0.1A thru 93 A
...24 options...Class 10 protection



Push Buttons & Pilot Lights



Full Range of ϕ 22 mm Control & Signaling Units



Overload Relays



LR 1 D & LR 1 F Relays

- ▣ Standards : IS 13947-4-1-1993
- ▣ Certification : UL, CE Marking; CPRI
- ▣ Range : Direct operated 0.1A thru 80A
... 22 options...Class 10 Protection
CT operated 65A thru 1000A
...11 options... Class 10 Protection



FULBAN SDN BHD

KL Branch :
No.3, Jalan 4/89B, Kawasan Perindustrian Trisegi,
Batu 3½, Jalan Sungai Besi, 57100 Kuala Lumpur.
Tel : 03-79842389
Fax : 03-79842368/9

Kuching Branch :
Lot P3-G-2B, Jalan Tabuan, Chonglin Park, 93200
Kuching
Tel : 082-230629
Fax : 082-233628



WE ARE YOUR ONE SOURCE SUPPLIER IMPORTER, DISTRIBUTOR & STOCKIST



Switchboard - all type Switchboard components



Electrical Fittings & Wiring Accessories
Electrical Equipment
For Hazardous Areas



Electrical Wiring Products



Cable Glands



Power & Control Cables



Explosion Protected
Products



Cable Marker &
Cable Ties



UPS, Battery Charger
Batteries




Connector for electrical
construction and maintenance



Electrical Connector




Drycell batteries



Toshiba Lamps



Philips
Fluorescent tubes, Bulbs
Son ballast, Sodium lamp



Bussman Fuses



Siemens Motors /
Drives



DRAKA CABLES



Explosion Proof Panel



Multimeter



Pharos Marine Navigation
AIDS ,etc...



Multimeter /
Combo Kit

Advertisers Index

<i>Company</i>	<i>Page</i>	<i>Company</i>	<i>Page</i>
Ademco (Malaysia) Sdn Bhd	69	Pentapower (M) Sdn Bhd	40
AMB Exhibitions Sdn Bhd	84	PJI Holdings Berhad	83
Century Bonanza Sdn Bhd	2	Power Cables & Wires Trading	66
Chi-Tak Electrical (Sel) Sdn Bhd	4	Powerwell Sdn Bhd	8
Conway Terminals Manufacturer Sdn Bhd	50, 72	Samajaya Electrical Trading	30
Controls Handling Engineering Sdn Bhd	16, 76	Schneider Electric Industries (M) Sdn Bhd	10
Davis Malaysia Sdn Bhd	32	Shaman Sdn Bhd	79
DPI Industries Sdn Bhd	44, 52	Skytronic Sdn Bhd	80
dpstar Thermo Electric Sdn Bhd	36	Speco Bumi Elektrik Sdn Bhd	29
EIP Marketing Sdn Bhd	67	Stantric Sdn Bhd	18
EITA Power System Sdn Bhd	IFC	Striker Electric Sdn Bhd	62
Essentialcorp (M) Sdn Bhd	35	Success Electronics & Transformer Manufacturer Sdn Bhd	48, 49
Euro Electrical Sdn Bhd	64	Sun Power Automation Sdn Bhd	46, 47
Fulban Sdn Bhd	78	Super Link Network	9
Fuseline Electric & Engineering Sdn Bhd	68	Synergy Instrumentation Sdn Bhd	70
Hartawan Sensasi Sdn Bhd	77	Thung Guan Electrical Machinery Sdn Bhd	22
KDK Fans (M) Sdn Bhd	6	Time Era Sdn Bhd	28
Kejuruteraan Letrik Teknik (M) Sdn Bhd	60	Tokai Engineering (M) Sdn Bhd	38
Kuasa Jati Sdn Bhd	24	Tonn Cable Sdn Bhd	CF
Lysaght Marketing Sdn Bhd	OBC	Toprank Corporation Sdn Bhd	IBC
Maxguard Switchgear Sdn Bhd	74, 75	Total Metering Solution Sdn Bhd	20, 56, 82
Megapower Group	54	Utama Switchgear Sdn Bhd	34
Mittric Systems Sdn Bhd	14	Wise Pro Sdn Bhd	17
MK Electric (Malaysia) Sdn Bhd	26	Wong Electrical & Teak Wood Sdn Bhd	12
Multi-B Sdn Bhd	58		
OSRAM (Malaysia) Sdn Bhd	1		

*Remarks : IFC-Inside Front Cover, IBC-Inside Back Cover,
OBC-Outside Back Cover, CF-Centre Fold.*



SHAMAN SDN. BHD. (45706-K)

Established Since 1979

We are specializing in :-

HIGH TENSION ELECTRICAL WORKS
LOW TENSION ELECTRICAL & ENGINEERING WORKS
EXTRA LOW VOLTAGE WORKS
TELEPHONE WORKS
MECHANICAL WORKS
MAINTENANCE WORKS

REGISTERED WITH:-

- | | |
|----------------------|---------------------------------|
| • PKK (CLASS 1) | • KEMENTERIAN KEWANGAN MALAYSIA |
| • PKK CLASS A | • TARAF BUMIPUTERA |
| • TARAF BUMIPUTERA | • TENAGA NASIONAL BERHAD |
| • CIDB (G7) | • TELEKOM MALAYSIA BERHAD |
| • SURUHANJAYA TENAGA | • PUTRAJAYA HOLDINGS |

KUALA LUMPUR : No. 277-3, Jalan Selinsing 7, Taman Niaga Waris, Off Jalan Kuching, 51200 Kuala Lumpur, Malaysia.
 Tel : 603 - 6258 4288, 6257 0543, 6251 0595 Fax : 603 - 6251 6966 E-mail : mail@shaman.com.my

SABAH : No. 12, 1st Floor, Block B, Heritage Plaza, Jalan Lintas, 88000 Kota Kinabalu, Sabah.
 Tel : 088-712 133 Fax : 088-716 133 E-mail : kkoffice@shaman.com.my


QCB Quick Connection Block and Accessories

(All Products are approved by SIRIM)




SKY-50-100 ABS Main Distribution Box

For up to 50 pairs incoming & 50 pairs outgoing lines



10 Pairs Connecting Module (QCB - 12)



10 Pairs Disconnecting Module (QCB - 11)



Ruj. Kami: 90/04/ST 4310 MOD Vol.2

24 April 2007

Skytronic Sdn Bhd
No. 26-2A 2nd Floor Ruby Complex
Jalan Kancil off Jalan Pudu
55100 Kuala Lumpur, Malaysia
Tel: 03-21415518
Fax: 03-21431518

u/p : En. Charles Lee

SURAT PENGESAHAN KELULUSAN JENIS - 10 PAIR TERMINATION BLOCK (DRY DISCONNECTION MODULE)

Adalah dengan ini disahkan bahawa barangan yang tersebut di atas telah diberi Kelulusan Jenis dan tertakluk kepada terma-terma dan syarat-syarat berikut:

1 Rujukan Kelulusan	:	90/04/ST 4310 MOD Vol.2
1.1 Rujukan Kelulusan Terdahulu	:	45 ST 4310 MOD/KJ
2 Tarikh Sah Laku	:	24.04.2007 – 23.04.2009
3 Pengeluar/Pengusaha Kilang	:	Skytronic
4 Jenis Barangan	:	QCB-11 Termination Block
5 No Siri / No Rujukan Pengeluar	:	-

Telekom Malaysia Type-Approval Letter for QCB 10 Pairs Termination Block to be used for Subscriber Distribution Frame (SDF) and main D. P. for Customer Premise.

**Distributor of
Telecommunications
Main Distribution Frames,
Distribution Boxes and
Terminal Blocks &
others Accessories.**



Skytronic Sdn Bhd (43827-M)

No. 26-2A, (2nd Floor), Ruby Complex, Jalan Kancil, Off Jalan Pudu, 55100 Kuala Lumpur.

Tel: 603 - 2141 6518 Fax: 603 - 2142 0518 E-mail: skytron@tm.net.my

1. READER SERVICE INFORMATION

For FREE Reader Service Information, please circle the page number below:

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46		
47	48	49	50	51	52	53	54	55	56	57	58	59	60	62	63	64	65	66	67	68	69		
70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	IFC	IBC	OBC	CF					

IFC: Inside Front Cover, IBC: Inside Back Cover, OBC: Outside Back Cover, CF: Centre Fold.

Name: _____

Company Name: _____

Address: _____

City & Postal Code: _____

Tel: _____ Fax: _____ E-mail: _____

Sign Here: _____ Date: _____

Tick the box that describes your firm:

- ☐ Distributor, wholesaler, retailer agent
☐ Manufacturer
☐ Technical services
☐ Contractor
☐ Government, association, etc
☐ Other (please specify): _____

Tick number of employees

- ☐ 1-99 ☐ 100-499 ☐ 500-999 ☐ over 1,000

Please tick each product that you sell:

- ☐ Electrical products
☐ Hardware, tools, building products
☐ Home appliances, housewares
☐ Consumer electronics
☐ Industrial equipment

May 2008 Issue

1. Use this form for free information.

We will request advertisers to furnish you with prompt information on those Reader Service Numbers you circle.

2. Advertisers are welcomed

Suara TEEAM is a good advertising medium to promote your products and services. Use the advertisement form to book a space.

3. Attention!

General Manager/ Manager/Individual. Are you a member yet? If not, find out what you might miss. Just fill up this slip.

2. ADVERTISEMENT BOOKING FORM FOR "SUARA TEEAM"

Colour	
☐ Inside Front Cover	RM 1,500.00
☐ Outside Back Cover	RM 1,500.00
☐ Inside Back Cover	RM 1,300.00
☐ Centre Fold (2 pages)	RM 2,200.00
☐ Full Page	RM 900.00

Black & White	
☐ Full Page	RM 450.00
☐ Half Page	RM 300.00
☐ Quarter Page	RM 200.00

Kindly tick in the relevant box. Please be informed that colour separation/film is to be supplied by the advertiser. If artwork is needed for black & white and colour advertisement, it will be charged separately.

Enclosed please find crossed cheque/bank draft for RM made in favour of "The Electrical and Electronics Association of Malaysia".

PLEASE TYPE OR PRINT

Name: _____

Company Name: _____

Address: _____

City & Postal Code: _____

Tel: _____ Fax: _____ E-mail: _____

Sign Here: _____ Date: _____

May 2008 Issue

3. MEMBERSHIP APPLICATION

Yes! I am interested to join as a member of The Electrical and Electronics Association of Malaysia.

	Entrance fee	Annual subscription
Company member	RM 200.00	RM 200.00
Individual member	RM 100.00	RM 100.00
Associate member	-	RM 240.00
(Foreign companies/individuals)		

Please send immediately application form to mecopies.

Note: Please do not send any money with this slip. Upon receipt of this slip, a membership application form will be sent to you.

PLEASE TYPE OR PRINT

Name: _____

Company Name: _____

Address: _____

City & Postal Code: _____ Country: _____

Tel: _____ Fax: _____ E-mail: _____

Sign Here: _____ Date: _____

MAIL TODAY!

to the following address:

The Chairman, Publication & Documentation Sub-Committee:
The Electrical and Electronics Association of Malaysia
 No. 5-B, Jalan Gelugor,
 Off Jalan Kenanga,
 55200 Kuala Lumpur, Malaysia.

SIEMENS

Low-Voltage Controlgears



Circuit-Breakers, MCCB




Contactors



Overload relays



Soft starters



MCB 5SY, 5SJ, 5SP, 5SM



SIEMENS

JEAN MÜLLER
the name for safety

Hortzmann



sälzer
Innovation - Technology - Quality

RUDOLF

AMETEK



Total Metering Solution Sdn. bhd. (Co. No. 478265-H)

No. 22 & 22A, Jalan Anggerik Vanilla 31/93, Kota Kemuning, 40460 Shah Alam, Selangor, Malaysia.

Tel: +603-5122 0029 Fax: +603-5122 0079

Email: info@tms.com.my / sales@tms.com.my

Website: www.tms.com.my

As you aspire for the Best

Let our Engineering Expertise be your firm support

PJI Holdings Berhad is an investment holding company with subsidiaries which core businesses are in the provision of integrated specialized electrical and mechanical (M & E), civil and structural (C & S) and engineering services, mainly for the infrastructure, energy, petrochemical, telecommunications, water supply and construction industries.

Quality, Safety, Timely Delivery and Service Excellence form the Group's basic foundation, philosophy and modus operandi. This total commitment has earned us the recognition and trust of highly reputed organizations such as Tenaga Nasional Berhad, Putrajaya Holdings and KLCC Berhad culminating in the company being awarded 'Malaysia's Best Engineering Contractor' by the ASEAN Federation of Electrical Engineering Contractors.

INFRASTRUCTURE

- Power substations and transmission lines
- Underground cable and distribution systems
- Roads, bridges and drainage system
- Railway

HIGH RISE BUILDINGS

- Design and construct high rise buildings
- HT and LV electrical systems
- Air-conditioning and ventilation systems
- Fire protection services
- Extra Low Voltage System
- Telephone and structure cabling systems

OIL & GAS PETROCHEMICAL

- Electrical works
- Control and instrumentation
- Maintenance services

WATER SUPPLY

- Design and build water treatment plant
- Construction of ground and elevated reservoirs
- Upgrading and maintenance of water treatment plants
- SCADA and telemetry systems
- Pumping stations
- Associated electrical and mechanical works
- Pipe laying works

HOSPITALS

- Electrical & mechanical services
- Design and construct building for hospitals
- Medical systems
- Lighting and power
- Public address systems
- Telecommunications systems

PROFESSIONAL LIGHTING

- Lighting systems for stadiums, tunnels, decorative, highways etc.
- Intelligent lighting control systems

OTHER ENGINEERING SERVICES

- Turnkey projects
- Electrical and mechanical maintenance services
- Value engineering
- Energy management programmes
- Tunnel electrical & mechanical works



PJI HOLDINGS BERHAD

(499758-W)

Wisma PJI, No.17 & 19, Jalan Astaka U8/83, Seksyen U8, Bukit Jelutong, 40150 Shah Alam, Selangor Darul Ehsan, Malaysia.

Tel: 603-7844 8888 Fax: 603-7844 8999

E-mail: info@pjindah.com.my



The Malaysian Construction Industry Award 2002 - Electrical Project Award



The Malaysian Construction Industry Award 2001 - Lower Medium Scale Project Award



www.pjindah.com.my

ELECTRIC **ASIA'08**

EXPO & FORUM
SOUTH EAST ASIA NO.1
PREMIER ELECTRICAL & POWER INDUSTRY SHOW
17 - 20 JUNE 2008 • KUALA LUMPUR CONVENTION CENTRE

**DELIVERING
BRIGHT IDEAS
FOR YOUR
BUSINESS
IN ASIA**

- 17 - 20 JUNE 2008
- KUALA LUMPUR CONVENTION CENTRE



Supported by



In Conjunction with



In Co-operation with



Organised & managed by



AMB Exhibitions Sdn Bhd (414985-U)
Suite 1701, 17th Flr Plaza Permata (IGB Plaza), 6 Jln Kampar
off Jln Tun Razak, 50400 Kuala Lumpur, Malaysia
Tel: (603) 4045 4993 Fax: (603) 4045 4989
E-mail: support@ambexpo.com

REPLY COUPON

☐ Please send me more information on
ELECTRIC ASIA 2008 Expo & Forum

I would like to

☐ Exhibit ☐ Visit ☐ Attend Forum

Name: _____

Title: _____

Company's Name: _____

Address: _____

*OR ATTACH
YOUR BUSINESS
CARD HERE*


Tel: _____ Fax: _____

E-mail: _____

*For further information,
please complete and fax to:*

60 3 - 4045 4989

www.electricasia.org



Providing Sustainable Power Solutions

• Power EPCC Contractor • Transmission & Distribution • Control Automation • Service & Maintenance •



TOPRANK CORPORATION

NO.1 JALAN SS23/11, TAMAN SEA 47400 PETALING JAYA, SELANGOR, MALAYSIA.

TEL: +603 7806 3888 FAX: +603 7806 3666

EMAIL: INFO@TOPRANKGROUP.COM WEBSITE: WWW.TOPRANKGROUP.COM



LYCORPOLE™

Leaders in Galvanized
Steel Products Technology

45.0m Antenna Monopole Structure



Kerinchi Link Expressway,
Damansara, Selangor



Container Terminal 4,
Westport, Selangor



UKM, Bangi



LYSAGHT MARKETING SDN. BHD. (102382-M)

No. 11, Jalan Majistret U1/26, Seksyen U1, Hicom-Glenmarie Ind. Park, 40150 Shah Alam, P.O. Box No. 7818, 40728 Shah Alam, Selangor Darul Ehsan, Malaysia.

Tel: (603) 7880 3750 Fax: (603) 7880 3720 Email: lysaght_sales@lysaghtmarketing.com.my Website: www.lysaghtmarketing.com.my



Certificate No. 403332
A Member of Lysaght Galvanized Steel Bhd
Co. No. 46426-P

IPOH

Tel: (605) 546 8278
Fax: (605) 546 3589
Email: lysaght8@streamyx.com

SARAWAK

Tel: (082) 245 145
Fax: (082) 237 311

SABAH

Tel: (088) 383 935
Fax: (088) 383 935

SINGAPORE

Tel: (65) 6862 4331
Fax: (65) 6862 1242
Email: lysaght@singtel.com.sg